



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 10/23/2017	Page 1 of 2
TIME IN 11:46 AM	TIME OUT 12:49 PM

ESTABLISHMENT NAME Dollar General Store - Doolittle # 14352		OWNER Dollar General Inc	PERSON IN CHARGE Amy Birdsong	
ADDRESS 345 Eisenhower		ESTABLISHMENT LICENSE NO.	COUNTY Phelps	REGION I
CITY/ZIP CODE Doolittle 65401	TELEPHONE NUMBER (573) 762-0143	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY L
WATER SUPPLY Community Date Sampled: N/A Result: N/A		FROZEN DESSERT N/A Expires: N/A License Number: N/A		

ESTABLISHMENT TYPE							PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input checked="" type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile	Routine
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary		

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Ambient Air	39	True Three Door R/I			
Ambient Air	39	True Two Door R/I			

PRIORITY ITEMS

CODE REF.	DESCRIPTION: These items relate directly to factors which lead to foodborne illness. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	CORRECT BY
4-601.11(A)	Observed spilled debris on the bottom shelf of the True three door reach in housing milk and tea. 4-601.1(A) Equipment, food-contact surfaces and utensils shall be kept clean and free of accumulated grease deposits, dust, dirt, food residue, and other debris.	10/30/2017
4-601.11(A)	Observed excessive residual product on the bottom shelf of the True frozen food two door reach in housing ice cream products. 4-601.1(A) Equipment, food-contact surfaces and utensils shall be kept clean and free of accumulated grease deposits, dust, dirt, food residue, and other debris.	10/30/2017
7-301.11	A toxic item for retail sale stored above single-service items on aisle housing Dollar Deals. 7-301.11 Poisonous or toxic materials shall be stored and displayed for retail sale so they can not contaminate by spacing or partitioning, or by locating in an area that is not above food, equipment, utensils, linens, and single-service items.	Immediate

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
4.204.112	Temperature measuring device missing in the True two door reach in refrigerator. 4-204.112 In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit. Temperature measuring devices shall be designed to be easily readable.	10/30/2017
4-903.11	Single-service items stored on the floor in the aisle housing cereal. 4-903.11 Cleaned equipment, utensils, laundered linens, and single-service items shall be stored in a clean, dry location where they are not exposed to contamination and shall be at least 6 inches above the floor. Clean equipment and utensils shall be stored in a self-draining position that allows air drying and shall be covered or inverted. Single-service items shall be kept in the original protective package or other means that afford protection until used.	10/30/2017



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 10/23/2017	Page 2 of 2
TIME IN 11:46 AM	TIME OUT 12:49 PM

ESTABLISHMENT NAME Dollar General Store - Doolittle # 14352	ADDRESS 345 Eisenhower	CITY Doolittle
--	---------------------------	-------------------

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
-----------	---	------------

6-501.11	Observed stained ceiling tiles above the racks housing single service items and the emergency exit door. 6-501.11 The physical facilities shall be maintained in good repair.	10/30/2017
----------	--	------------

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 3 priority violations and 3 core violations of the food code.
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

ASB

EDUCATION PROVIDED OR COMMENTS

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Amy Birdsong / Sales Associate		DATE 10/23/2017
INSPECTOR/TELEPHONE NUMBER Debbie Matlock / (573) 458-6010		EPHS NO. 1508
FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		DATE OF FOLLOW-UP 10/30/2017