



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 01/26/2017	Page 1 of 1
TIME IN 02:55 PM	TIME OUT 03:29 PM

ESTABLISHMENT NAME Firehouse Coffee Shop		OWNER Terill Story	PERSON IN CHARGE Jonah Auxier	
ADDRESS 103 East Hardy		ESTABLISHMENT LICENSE NO.	COUNTY Phelps	REGION I
CITY/ZIP CODE St. James 65559	TELEPHONE NUMBER (573) 263-2596	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY L
WATER SUPPLY Community Date Sampled: N/A Result: N/A		FROZEN DESSERT N/A Expires: N/A License Number: N/A		

ESTABLISHMENT TYPE							PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile	Follow-Up
<input checked="" type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary		

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Ambient Air	48	True Single Door			

PRIORITY ITEMS

CODE REF.	DESCRIPTION: These items relate directly to factors which lead to foodborne illness. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	CORRECT BY
3-501.16	<i>Failure to maintain cold potentially hazardous foods at a safe cold holding temperature of 41 degrees Fahrenheit.</i> 3-501.16 Potentially hazardous food shall be maintained at 135°F or above, or at 41°F or less. Existing refrigeration in use may not exceed 45°F and refrigeration that is upgraded, replaced, or purchased must be able to maintain food temperatures of 41°F or below.	02/02/2017

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
4-501.11	<i>Equipment not maintained in a state of good repair or proper adjustment. Observed True Single Door refrigerator to not be holding temperatures at 41 degrees or colder.</i> 4-501.11 Equipment shall be maintained in a state of repair and condition that meets the requirements.	02/02/2017

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 1 priority violations and 1 core violations of the food code. ja
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Jonah Auxier / President		DATE 01/26/2017
INSPECTOR/TELEPHONE NUMBER John Campbell / (573) 458-6010	EPHS NO. 1572	FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
		DATE OF FOLLOW-UP 02/02/2017