



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE 05/23/2017	<b>Page 1 of 2</b>
TIME IN 10:40 AM	TIME OUT 11:05 AM

ESTABLISHMENT NAME Great Circle		OWNER Great Circle	PERSON IN CHARGE Rachel McClintock	
ADDRESS 13160 County Road 3610		ESTABLISHMENT LICENSE NO.	COUNTY Phelps	REGION I
CITY/ZIP CODE St. James 65559	TELEPHONE NUMBER (573) 265-3251	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY H
WATER SUPPLY Private Date Sampled: 05/16/2017 Result:Satisfactory		FROZEN DESSERT N/A Expires: N/A License Number:N/A		

ESTABLISHMENT TYPE							PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input checked="" type="checkbox"/> Institution	<input type="checkbox"/> Mobile	Follow-Up
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary		

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION

CORE ITEMS		
CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY

3-304.12	<i>Improper storage of ice scoop.</i> 3-304.12 During pauses in food preparation or dispensing, utensils being used shall be stored to prevent contamination.	06/07/2017
6-501.12	<i>Observed excessive dust accumulation on the fan blade covers of the condenser unit in the walk in cooler.</i> 6-501.12 The physical facilities shall be cleaned as often as necessary to keep them clean and shall be done during periods when the least amount of food is exposed such as after closing.	06/07/2017
6-501.11	<i>Observed the fan blade covers of the condenser unit in the walk in cooler to be in disrepair.</i> 6-501.11 The physical facilities shall be maintained in good repair.	06/07/2017
3-305.12	<i>Food stored under unprotected sewer lines.</i> 3-305.12 Food may not be stored: in locker rooms; in toilet rooms; in dressing rooms; in garbage rooms; in mechanical rooms; under sewer lines that are not shielded to intercept potential drips; under leaking water lines, including leaking automatic fire sprinkler heads, or under lines on which water has condensed; under open stairwells; or under other sources contamination.	06/07/2017
4-903.12	<i>Single-service articles improperly stored under unshielded sewer lines .</i> 4-903.12 Cleaned and sanitized equipment, utensils, laundered linens, and single-service items may not be stored: in locker rooms, toilet rooms, garbage rooms, or mechanical rooms; under sewer lines that are not shielded to intercept potential drips; under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed; under open stairwells; or under other sources of contamination.	06/07/2017



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE	05/23/2017		<b>Page 2 of 2</b>
TIME IN	10:40 AM	TIME OUT	11:05 AM

ESTABLISHMENT NAME	ADDRESS	CITY
Great Circle	13160 County Road 3610	St. James

*(This area is intentionally left blank for inspection notes.)*

**ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS**

By initialing here you, as the person in charge, acknowledge the following:  
 I am receiving the inspection report based on today's inspection, this inspection denoted 0 priority violations and 5 core violations of the food code. *M*  
 I am aware of each violation and the compliance date for each violation.  
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

**EDUCATION PROVIDED OR COMMENTS**

*(This area is intentionally left blank for education or comments.)*

**INSPECTION INFORMATION**

RECEIVED BY (PERSON IN CHARGE/TITLE)	<i>M</i>	DATE	05/23/2017
INSPECTOR/TELEPHONE NUMBER	<i>Debbie Matlock</i>	EPHS NO.	1508
		FOLLOW-UP	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
		DATE OF FOLLOW-UP	06/07/2017