



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE 02/02/2017	Page 1 of 2
TIME IN 02:07 PM	TIME OUT 03:22 PM

ESTABLISHMENT NAME Mobil Pump Handle-On The Run #140		OWNER Wallis Oil Company		PERSON IN CHARGE Joy Shoemaker	
ADDRESS I-44 and 68		ESTABLISHMENT LICENSE NO.		COUNTY Phelps	REGION I
CITY/ZIP CODE St. James 65559		TELEPHONE NUMBER (573) 265-8070	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY L
WATER SUPPLY Community Date Sampled: N/A Result: N/A			FROZEN DESSERT N/A Expires: N/A License Number: N/A		

ESTABLISHMENT TYPE							PURPOSE Routine
<input type="checkbox"/> Bakery	<input checked="" type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile	
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary		

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Ambient Air	34	Walk In Cooler	Sauerkraut	41	APW Wycoff Cold Hold
Ambient Air	39	Frigidaire Refrigerator	Hot Dog	144	Hot Hold Unit
Pepperoni	38	Pizza Prep Unit	Tornado	142	Hatco Hot Hold
Ambient Air	38	Imbera Refrigerator	Ambient Air	42	Cold Hold Display

**PRIORITY ITEMS**

CODE REF.	DESCRIPTION: These items relate directly to factors which lead to foodborne illness. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	CORRECT BY
-----------	--	------------

3-302.11	<i>Food uncovered in the walk in cooler and the Frigidaire stand up freezer.</i> 3-302.11 Food shall be protected from cross contamination.	Corrected On-site
----------	--	-------------------

**CORE ITEMS**

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
-----------	---	------------

6-501.12	<i>Excessive dirt buildup on floor in the back storage room under shelving containing fountain soda mixes.</i> 6-501.12 The physical facilities shall be cleaned as often as necessary to keep them clean and shall be done during periods when the least amount of food is exposed such as after closing.	02/09/2017
3-305.11	<i>Food not protected from contamination. Observed box of tortilla chips stored on the floor across from the stand up freezer.</i> 3-305.11 Food shall be protected from contamination by storing in a clean dry location; where it is not exposed to splash, dust, or other contamination and be stored at least six inches (6") above the floor.	Corrected On-site
5-205.11	<i>The employee handsink is used for purposes other than hand washing. Observed coffee grounds in the bottom of the handsink.</i> 5-205.11 A handwashing sink shall be maintained so that it is accessible at all times for employee use. A handwashing sink may not be used for purposes other than handwashing. An automatic handwashing facility shall be used in accordance with manufacturer's instructions.	02/09/2017
4-602.13	<i>Observed residual coffee in the cabinets below the Cream Machine.</i> 4-602.13 Nonfood-contact surfaces of equipment shall be cleaned as necessary to prevent accumulated soil residues.	02/09/2017



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE 02/02/2017	Page 2 of 2
TIME IN 02:07 PM	TIME OUT 03:22 PM

ESTABLISHMENT NAME Mobil Pump Handle-On The Run #140	ADDRESS I-44 and 68	CITY St. James
---	------------------------	-------------------

**CORE ITEMS**

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
4-602.13	<i>Observed dried spilled tea in the cabinets below the tea dispensers.</i> 4-602.13 Nonfood-contact surfaces of equipment shall be cleaned as necessary to prevent accumulated soil residues.	02/09/2017
4.204.112	<i>Temperature measuring device is missing in the Imbera refrigerator.</i> 4-204.112 In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit. Temperature measuring devices shall be designed to be easily readable.	02/09/2017
5-501.17	<i>Absence of covered wastebasket in the women's restroom.</i> 5-501.17 A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.	02/09/2017
4-903.11	<i>Single-service items stored on the floor of the second floor storage area.</i> 4-903.11 Cleaned equipment, utensils, laundered linens, and single-service items shall be stored in a clean, dry location where they are not exposed to contamination and shall be at least 6 inches above the floor. Clean equipment and utensils shall be stored in a self-draining position that allows air drying and shall be covered or inverted. Single-service items shall be kept in the original protective package or other means that afford protection until used.	Corrected On-site
6-501.11	<i>Broken floor tiles located in back storage area by pizza prep unit.</i> 6-501.11 The physical facilities shall be maintained in good repair.	02/09/2017

**ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS**

By initialing here you, as the person in charge, acknowledge the following:  
 I am receiving the inspection report based on today's inspection, this inspection denoted 1 priority violations and 9 core violations of the food code. JLS  
 I am aware of each violation and the compliance date for each violation.  
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

**EDUCATION PROVIDED OR COMMENTS**

**INSPECTION INFORMATION**

RECEIVED BY (PERSON IN CHARGE/TITLE) Joy Shoemaker / Store Manager	DATE 02/02/2017
INSPECTOR/TELEPHONE NUMBER John Campbell / (573) 458-8070	EPHS NO. 1572
FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE OF FOLLOW-UP 02/09/2017