



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE 08/08/2017	Page 1 of 2
TIME IN 11:41 AM	TIME OUT 12:19 PM

ESTABLISHMENT NAME Rolla Moto Mart		OWNER FKG Oil Company		PERSON IN CHARGE Mike Anthony	
ADDRESS 19 Howard Johnson Drive		ESTABLISHMENT LICENSE NO.		COUNTY Rolla	REGION I
CITY/ZIP CODE Rolla 65401		TELEPHONE NUMBER (573) 364-3364	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY L
WATER SUPPLY Community Date Sampled: N/A Result: N/A			FROZEN DESSERT N/A Expires: N/A License Number: N/A		

ESTABLISHMENT TYPE						PURPOSE
<input type="checkbox"/> Bakery	<input checked="" type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary	Follow-Up

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Ambient Air	37	Sandwich Display Case			

CORE ITEMS		
CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY

- 4.204.112 *Temperature measuring device missing in the Hunt Brothers hot hold unit.* 08/15/2017  
 4-204.112 In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit. Temperature measuring devices shall be designed to be easily readable.
- 4.204.112 *Temperature measuring device not properly functioning in the True pizza prep unit.* 08/15/2017  
 4-204.112 In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit. Temperature measuring devices shall be designed to be easily readable.
- 3-304.12 *Improper storage of in-use serving utensil.* 08/15/2017  
 3-304.12 During pauses in food preparation or dispensing, utensils being used shall be stored to prevent contamination.
- 6-301.11 *No soap at employee handsink.* Immediate  
 6-301.11 Each handwashing lavatory/group of 2 adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap.
- 4-501.11 *Equipment not maintained in a state of good repair or proper adjustment. Observed excessive ice accumulation on the floor and wall of the walk in freezer.* 08/15/2017  
 4-501.11 Equipment shall be maintained in a state of repair and condition that meets the requirements.



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE  
**FOOD ESTABLISHMENT INSPECTION REPORT**

DATE 08/08/2017	Page 2 of 2
TIME IN 11:41 AM	TIME OUT 12:19 PM

ESTABLISHMENT NAME Rolla Moto Mart	ADDRESS 19 Howard Johnson Drive	CITY Rolla
---------------------------------------	------------------------------------	---------------

*(This area is mostly blank, likely for inspection notes or violations.)*

**ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS**

By initialing here you, as the person in charge, acknowledge the following:  
 I am receiving the inspection report based on today's inspection, this inspection denoted 0 priority violations and 5 core violations of the food code. *MM*  
 I am aware of each violation and the compliance date for each violation.  
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

**EDUCATION PROVIDED OR COMMENTS**

*(This area is blank for education or comments.)*

**INSPECTION INFORMATION**

RECEIVED BY (PERSON IN CHARGE/TITLE) Mike Anthony / Manager <i>Mike Anthony</i>	DATE 08/08/2017
INSPECTOR/TELEPHONE NUMBER Debbie Matlock / (573) 458-6010 <i>Debbie Matlock</i>	EPHS NO. 1508
FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE OF FOLLOW-UP 08/15/2017