



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 06/23/2017	Page 1 of 2
TIME IN 02:56 PM	TIME OUT 03:48 PM

ESTABLISHMENT NAME VFW Post 2025		OWNER VFW Post 2025		PERSON IN CHARGE Michelle Espy	
ADDRESS 15035 Hwy 63 South			ESTABLISHMENT LICENSE NO.		COUNTY Phelps
CITY/ZIP CODE Rolla 65401			TELEPHONE NUMBER (573) 364-2025	FAX NUMBER	REGION I
WATER SUPPLY Private			FROZEN DESSERT N/A		P.H. PRIORITY M
Date Sampled: N/A			Result: N/A		Expires: N/A
					License Number: N/A

ESTABLISHMENT TYPE						PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile
<input checked="" type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary	Routine

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Ambient Air	38	Frigidaire	Water	141	Hot Hold Unit
Water	138	Hot Hold Unit	Water	136	Hot Hold Unit
Water	138	Hot Hold Unit			
Water	145	Hot Hold Unit			

PRIORITY ITEMS

CODE REF.	DESCRIPTION: These items relate directly to factors which lead to foodborne illness. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	CORRECT BY
4-601.11(A)	<i>Observed residual product on the interior of the microwave oven.</i> 4-601.1(A) Equipment, food-contact surfaces and utensils shall be kept clean and free of accumulated grease deposits, dust, dirt, food residue, and other debris.	Corrected On-site
4-601.11(A)	<i>Observed sticky residual product on the bottom shelf of the Frigidaire refrigerator.</i> 4-601.1(A) Equipment, food-contact surfaces and utensils shall be kept clean and free of accumulated grease deposits, dust, dirt, food residue, and other debris.	Corrected On-site

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
4-501.11	<i>Equipment not maintained in a state of good repair or proper adjustment.</i> Observed excessive ice accumulation in the Kenmore freezer. 4-501.11 Equipment shall be maintained in a state of repair and condition that meets the requirements.	07/14/2017
5-501.17	<i>Absence of covered wastebasket in the women's restroom in the middle stall in the ladies restroom.</i> 5-501.17 A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.	Corrected On-site
6-202.14	<i>Women's restroom door propped open; not self-closing.</i> 6-202.14 A toilet room located on the premises shall be completely enclosed and provided with a tight-fitting and self-closing door.	Corrected On-site



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 06/23/2017	Page 2 of 2
TIME IN 02:56 PM	TIME OUT 03:48 PM

ESTABLISHMENT NAME VFW Post 2025	ADDRESS 15035 Hwy 63 South	CITY Rolla
-------------------------------------	-------------------------------	---------------

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 2 priority violations and 3 core violations of the food code.
 I am aware of each violation and the compliance date for each violation. *ME*
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

Inspection was done on a Friday. Water sample will be obtained at follow up inspection on Wednesday, July 12, 2017 at 4:00 Pm.

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Michelle Espy / Kitchen Manager <i>Michelle Espy</i>		DATE 06/23/2017
INSPECTOR/TELEPHONE NUMBER Debbie Matlock / (573) 458-6010 <i>Debbie Matlock</i>	EPHS NO. 1508	FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
		DATE OF FOLLOW-UP 07/12/2017