



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 08/31/2018	Page 1 of 2
TIME IN 09:14 AM	TIME OUT 09:50 AM

ESTABLISHMENT NAME St. James Market Place Bakery		OWNER Deborah Kleinheider		PERSON IN CHARGE Deborah Kleinheider	
ADDRESS 103 N Jefferson		ESTABLISHMENT LICENSE NO.		COUNTY Phelps	REGION I
CITY/ZIP CODE St. James 65559		TELEPHONE NUMBER (573) 263-2557	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY M

WATER SUPPLY Community Date Sampled: N/A Result: N/A			FROZEN DESSERT N/A Expires: N/A License Number: N/A		
---	--	--	--	--	--

ESTABLISHMENT TYPE						PURPOSE
<input checked="" type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary	Routine

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
pork	43	fridgidaire			
milk	40	fridgidaire			
cheesecake	49	pie cooling case			
quiche	52	pie cooling case			

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
-----------	---	------------

- | | | |
|----------|---|-------------------|
| 4-501.11 | <i>Equipment not maintained in a state of good repair or proper adjustment. Federal pie display case is leaking.</i>
4-501.11 Equipment shall be maintained in a state of repair and condition that meets the requirements. | 09/14/2018 |
| 6-301.12 | <i>No towels at the employee handsink.</i>
6-301.12 Each handwashing lavatory/group of adjacent lavatories shall be provided with individual, disposable towels, or a continuous towel system that supplies the user with a clean towel, or a heated-air hand drying device. | Corrected On-site |
| 4-301.11 | <i>Equipment for cold holding does not meet requirements as evidenced by refrigeration equipment does not maintain the proper temperature . Federal pie reffridgeration unit is not holding temperature.</i>
4-301.11 Equipment for cooling and heating food, and holding cold and hot food, shall be sufficient in number and capacity to provide food temperatures as specified under Chapter 3. | Corrected On-site |

DEBORAH VOLUNTARILY DISCARDED AT TIME OF INSPECTION.



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 08/31/2018	Page 2 of 2
TIME IN 09:14 AM	TIME OUT 09:50 AM

ESTABLISHMENT NAME St. James Market Place Bakery	ADDRESS 103 N Jefferson	CITY St. James
---	----------------------------	-------------------

(This area is mostly blank, likely for inspection notes or violations.)

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 0 critical violations and 0 non-critical violations of the food code. DK
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

Provided education regarding sanitize solution. They made sanitizer while we were here, and needed to determine proper concentration. Between 50-100 ppm of bleach.

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Deborah Kleinheider / Owner <i>Deborah Kleinheider</i>	DATE 08/31/2018
INSPECTOR/TELEPHONE NUMBER Bethany Black / (573) 458-6010 <i>Bethany Black</i>	EPHS NO. 1637
FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE OF FOLLOW-UP 09/14/2018