



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 09/04/2018	Page 1 of 1
TIME IN 09:55 AM	TIME OUT 10:20 AM

ESTABLISHMENT NAME St. Patrick's Church		OWNER Fr. David Viet		PERSON IN CHARGE Jim Pettit	
ADDRESS 17 St. Patrick Lane			ESTABLISHMENT LICENSE NO.		COUNTY Rolla
CITY/ZIP CODE Rolla 65401			TELEPHONE NUMBER (573) 578-0353	FAX NUMBER	REGION I
WATER SUPPLY Community		Date Sampled: N/A	Result: N/A	FROZEN DESSERT N/A	Expires: N/A
				License Number: N/A	

ESTABLISHMENT TYPE						PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile
<input checked="" type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary	Pre-Opening

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
AMBIENT AIR	41	TRUE REFRIDGERATOR			

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
-----------	---	------------

4-703.11	<i>Wares and utensils improperly sanitized.</i> Dishwasher is not reaching proper sanitizer temperature of 160 degrees F. The water temperature needs to reach at least 180 degrees F. 4-703.11 After being cleaned, equipment food-contact surfaces and utensils shall be sanitized.	09/21/2018
----------	--	------------

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 0 priority violations and 1 core violations of the food code. *J*
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

They informed us they will call when the dishwasher has been fixed. They will call 573-458-6010.

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Jim Pettit / Volunteer <i>Jim Pettit</i>			DATE 09/04/2018
INSPECTOR/TELEPHONE NUMBER Michelle Rafter / (573) 458-6010 <i>Michelle Rafter</i>	EPHS NO. 1212	FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	DATE OF FOLLOW-UP 09/21/2018