



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE: 04/20/2018 Page 1 of 1
 TIME IN: 11:04 AM TIME OUT: 11:56 AM

ESTABLISHMENT NAME The Grotto		OWNER Michael Greenway		PERSON IN CHARGE Michael Greenway	
ADDRESS 1105 North Pine		ESTABLISHMENT LICENSE NO.		COUNTY Rolla	REGION I
CITY/ZIP CODE Rolla 65401		TELEPHONE NUMBER (573) 364-3311	FAX NUMBER	SEWAGE DISPOSAL Public	P.H. PRIORITY M
WATER SUPPLY Community Date Sampled: N/A Result: N/A			FROZEN DESSERT N/A Expires: N/A License Number: N/A		

ESTABLISHMENT TYPE

<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile
<input type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input checked="" type="checkbox"/> Tavern	<input type="checkbox"/> Temporary	

PURPOSE: Routine

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
Refried Beans	172	Hot Hold	Diced Tomatoes	36	Ice Bath
Taco Meat	209	Hot Hold	Ambient Air	38	Bar Refrigerator
Ambient Air	40	Whirlpool Refrigerator			
Ambient Air	33	Walk In Cooler			

CORE ITEMS

CODE REF.	DESCRIPTION: These items relate to maintenance of food operations and cleanliness. These items are to be corrected by the next regular inspection or as stated.	CORRECT BY
-----------	---	------------

4.204.112	Temperature measuring device missing from the bar refrigerator. 4-204.112 In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit. Temperature measuring devices shall be designed to be easily readable.	04/27/2018
-----------	---	------------

6-202.14	Men's restroom door propped open. 6-202.14 A toilet room located on the premises shall be completely enclosed and provided with a tight-fitting and self-closing door.	Corrected On-site
----------	---	-------------------

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 0 priority violations and 2 core violations of the food code. *Me*
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Michael Greenway / Owner <i>Michael Greenway</i>		DATE 04/20/2018
INSPECTOR/TELEPHONE NUMBER John Campbell / (573) 458-6010 <i>John Campbell</i>	EPHS NO. 1572	FOLLOW-UP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
		DATE OF FOLLOW-UP 04/27/2018