



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 08/10/2018	Page 1 of 3
TIME IN 11:00 AM	TIME OUT 11:45 AM

Based on an inspection this day, the items noted below identify noncompliance in operations or facilities which must be corrected by the next routine inspection or such shorter period of time as may be specified in writing by the regulatory authority. Failure to comply with any time limits for corrections specified in this notice may result in cessation of your food operations.

ESTABLISHMENT NAME The Zone		OWNER Joe & Angel Johnson	PERSON IN CHARGE Justin Furst	
ADDRESS 555 Blue's Lake Parkway		ESTABLISHMENT LICENSE NO.		COUNTY Phelps
CITY/ZIP CODE Rolla 65401		TELEPHONE NUMBER (573) 341-5700	FAX NUMBER	SEWAGE DISPOSAL Public
WATER SUPPLY Community		FROZEN DESSERT N/A		REGION I
Date Sampled: N/A	Result: N/A	Expires: N/A	License Number: N/A	

ESTABLISHMENT TYPE							PURPOSE
<input type="checkbox"/> Bakery	<input type="checkbox"/> C. Store	<input type="checkbox"/> Caterer	<input type="checkbox"/> Deli	<input type="checkbox"/> Grocery Store	<input type="checkbox"/> Institution	<input type="checkbox"/> Mobile	Routine
<input checked="" type="checkbox"/> Restaurant	<input type="checkbox"/> School	<input type="checkbox"/> Senior Center	<input type="checkbox"/> Summer F.P.	<input type="checkbox"/> Tavern	<input type="checkbox"/> Temporary		

FOOD PRODUCT	TEMP. (°F)	LOCATION	FOOD PRODUCT	TEMP. (°F)	LOCATION
PEPPERONI	38	PREP TABLE			
PIZZA SAUCE	40	PREP TABLE			
SWEET BABY RAY'S SAUCE	41	COOLER UNDER PREP TABLE			

RISK FACTORS AND INTERVENTIONS

Management and Personnel

In Compliance	2-1 Supervision
In Compliance	2-2 Employee Health
In Compliance	2-3 Personal Cleanliness
In Compliance	2-4 Hygienic Practices

Food

In Compliance	3-1 Characteristics
In Compliance	3-2 Sources, Specifications, and Original Containers and Records
In Compliance	3-3 Protection From Contamination After Receiving
In Compliance	3-4 Destruction Of Organisms Of Public Health Concern
In Compliance	3-5 Limitation Of Growth Of Organisms Of Public Health Concern
In Compliance	3-6 Food Identity, Presentation, and On-Premises Labeling
In Compliance	3-7 Contaminated Food
Not Applicable	3-8 Special Requirements for Highly Susceptible Populations

Equipment, Utensils, and Linens

In Compliance	4-1 Materials For Construction and Repair
In Compliance	4-2 Design and Construction
In Compliance	4-3 Numbers and Practices
In Compliance	4-4 Location and Installation
Not In Compliance	4-5 Maintenance and Operation <u>Core</u> <i>Equipment not maintained in a state of good repair or proper adjustment. Toilet lid in boy's restroom in disrepair.</i> 4-501.11 Equipment shall be maintained in a state of repair and condition that meets the requirements. Correct By: Next Regular Inspection
Not In Compliance	4-6 Cleaning Of Equipment and Utensils <u>Priority</u> <i>Excessive residual product buildup on soda machine plates.</i> 4-601.1(A) Equipment, food-contact surfaces and utensils shall be kept clean and free of accumulated



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 08/10/2018	Page 2 of 3
TIME IN 11:00 AM	TIME OUT 11:45 AM

ESTABLISHMENT NAME The Zone	ADDRESS 555 Blue's Lake Parkway	CITY/ZIP CODE Rolla 65401
--------------------------------	------------------------------------	------------------------------

RISK FACTORS AND INTERVENTIONS

Equipment, Utensils, and Linens

grease deposits, dust, dirt, food residue, and other debris.

Correct By: Corrected On-site

In Compliance	4-7 Sanitization Of Equipment and Utensils
In Compliance	4-8 Laundering
In Compliance	4-9 Protection Of Clean Items

Water, Plumbing, and Waste

In Compliance	5-1 Water
Not In Compliance	5-2 Plumbing System <u>Priority</u> <i>The backflow prevention device is unapproved. Hose for ice machine is on floor by drain. Needs to be off floor.</i> 5-202.14 A backflow or backsiphonage prevention device, installed on a water supply system shall meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction and installation for that specific application and type of device. Correct By: Corrected On-site
Not Applicable	5-3 Mobile Water Tank and Mobile Food Establishment Water Tank
In Compliance	5-4 Sewage, Other Liquid Waste, and Rainwater
In Compliance	5-5 Refuse, Recyclables, and Returnables

Physical Facilities

In Compliance	6-1 Materials For Construction and Repair
In Compliance	6-2 Design, Construction, and Installation
In Compliance	6-3 Numbers and Capacities
In Compliance	6-4 Location and Placement
In Compliance	6-5 Maintenance and Operation

Poisonous or Toxic Materials

In Compliance	7-1 Labeling and Identification
In Compliance	7-2 Operational Supplies and Applications
Not Applicable	7-3 Stock and Retail Sale

Compliance and Enforcement

Not Applicable	8-1 Modifications
Not Applicable	8-2 HACCP Plan
Not Applicable	8-3 Qualifications and Responsibilities
Not Applicable	8-4 Ceasing Operations and Reporting



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
 BUREAU OF ENVIRONMENTAL REGULATION AND LICENSURE
FOOD ESTABLISHMENT INSPECTION REPORT

DATE 08/10/2018	Page 3 of 3
TIME IN 11:00 AM	TIME OUT 11:45 AM

ESTABLISHMENT NAME The Zone	ADDRESS 555 Blue's Lake Parkway	CITY/ZIP CODE Rolla 65401
--------------------------------	------------------------------------	------------------------------

RISK FACTORS AND INTERVENTIONS

(This area is currently blank for recording risk factors and interventions.)

ACKNOWLEDGEMENT OF CRITICAL AND NON CRITICAL ITEMS

By initialing here you, as the person in charge, acknowledge the following:
 I am receiving the inspection report based on today's inspection, this inspection denoted 2 priority violations and 1 core violations of the food code. *JF*
 I am aware of each violation and the compliance date for each violation.
 I have had ample opportunity to discuss each violation with the official who conducted the inspection.

EDUCATION PROVIDED OR COMMENTS

(This area is currently blank for recording education provided or comments.)

INSPECTION INFORMATION

RECEIVED BY (PERSON IN CHARGE/TITLE) Justin Furst / Manager <i>Justin Furst</i>		DATE 08/10/2018
INSPECTOR/TELEPHONE NUMBER Michelle Rafter / (573) 458-6010 <i>Michelle Rafter</i>	EPHS NO. 1212	FOLLOW-UP <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
		DATE OF FOLLOW-UP N/A