



Public Health
Prevent. Promote. Protect.

PHELPS COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL PUBLIC HEALTH

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment

Name: SONIC DRIVE-IN
Address: 814 S. BISHOP, ROLLA, MO 65401
Type: Restaurant
Sewage Disposal: Public
Number: F134-10091
County Code: 161 PHELPS
Region: I P.H. Priority: M

Water Supply

Type: Community
Date Sampled:
Results:

Frozen Dessert

Approval: Approved
Expires: 11/30/2020
Number: 161-16416

Owner

Name: MICHAEL CALKINS
Email: store1253@sonicpartnernet.com
Phone: (573) 341-9911
Fax:

Inspection

Date: 01/23/2020
Time In: 9:30 AM
Time Out: 10:30 AM
Purpose: Routine
Follow-up: Yes
Follow-up Date: 02/06/2020
Education Provided or Additional Comments: Personal Items of the Employees should not be stored with food service Itmes.

Temperature Log

<u>Food Product</u>	<u>Temperature</u>	<u>Location</u>
sliced cheese	43	Cold Holding
corn dogs	37	Cold Holding
Milk	36	Cold Holding
Fried eggs	167	Hot Holding

Management and Personnel

2-1 Supervision	In Compliance
2-2 Employee Health	In Compliance
2-3 Personal Cleanliness. Hands and Arms	In Compliance
2-4 Hygienic Practices	In Compliance

Food

3-1 Characteristics	In Compliance
3-2 Sources, Specifications, and Original Containers and Records	In Compliance

Food (continued)

3-3 Protection From Contamination After Receiving **Not In Compliance**

3.307.11. Food shall be protected from contamination.

Core

Re-inspection Date: 02/06/2020

Ice machine has mold or mildew buildup inside where ice is.

3-4 Destruction Of Organisms Of Public Health Concern *In Compliance*

3-5 Limitation Of Growth Of Organisms Of Public Health Concern *In Compliance*

3-6 Food Identity, Presentation, and On-Premises Labeling *In Compliance*

3-7 Contaminated Food *In Compliance*

3-8 Special Requirements for Highly Susceptible Populations *Not Applicable*

Equipment, Utensils and Linens

4-1 Materials for Construction and Repair *In Compliance*

4-2 Design and Construction *In Compliance*

4-3 Numbers and Practices *In Compliance*

4-4 Location and Installation *In Compliance*

4-5 Maintenance and Operation **Not In Compliance**

4.501.11. Equipment shall be maintained in a state of repair and condition that meets the requirements.

Core

Re-inspection Date: 02/06/2020

Equipment not maintained in a state of repair or proper adjustment. Ice machine screw is loose causing a gap which exposes the ice to possible contamination.

4-6 Cleaning Of Equipment and Utensils **Not In Compliance**

4.601.11. Equipment, food-contact surfaces, nonfood-contact surfaces, and utensils shall be kept clean and free of accumulated grease deposits, dust, dirt, food residue, and other debris.

Priority

Re-inspection Date: 02/06/2020

Excessive mold and mildew buildup on in ice machine.

4.602.13. Nonfood-contact surfaces of equipment shall be cleaned as necessary to prevent accumulated soil residues.

Core

Re-inspection Date: 02/06/2020

Handsink has accumulated sediment buildup.

4-7 Sanitization Of Equipment and Utensils *In Compliance*

4-8 Laundering *Not Applicable*

4-9 Protection of Clean Items *In Compliance*

Water, Plumbing and Waste

5-1 Water	In Compliance
5-2 Plumbing System	In Compliance
5-3 Mobile Water Tank and Mobile Food Establishment Water Tank	Not Applicable
5-4 Sewage, Other Liquid Waste and Rainwater	In Compliance
5-5 Refuse, Recyclables, and Returnables	In Compliance

Physical Facilities

6-1 Materials For Construction and Repair. Indoor Areas	In Compliance
6-2 Design, Construction, and Installation	In Compliance
6-3 Numbers and Capacities	In Compliance
6-4 Location and Placement	In Compliance
6-5 Maintenance and Operation	Not In Compliance

6.501.12. The physical facilities shall be cleaned as often as necessary to keep them clean and shall be done during periods when the least amount of food is exposed such as after closing.

Core

Re-inspection Date: 02/06/2020

Excessive grease and food debris, dirt and food debris buildup at floor to wall junctures, on walls, on floor throughout kitchen area. Mop station has excessive buildup. Excessive Grease Build up has occurred on Hood filters and machinery plugs. Boxes were seen to be around dumpster enclosure.

6.501.11. The physical facilities shall be maintained in good repair.

Core

Re-inspection Date: 02/06/2020

Broken floor tiles, Floor in disrepair, Wall in disrepair located in throughout facility. In Employee restroom wall tiles separating from wall.

Poisonous or Toxic Materials

7-1 Labeling and Identification	In Compliance
7-2 Operational Supplies and Applications	In Compliance
7-3 Stock and Retail Sale	Not Applicable

Compliance and Enforcement

8-1 Modifications	Not Applicable
8-2 HACCP Plan	Not Applicable
8-3 Qualifications and Responsibilities	Not Applicable
8-4 Ceasing Operations and Reporting	Not Applicable

Received By (Person in Charge) Signature



Person In Charge: *Robert Davenport*

Inspector's Signature



Name: *Anna Sellegren*